


# SCREWDRIVER BITS



## **Screwdriver Bits**

- Carded
- Bulk
- Sets

# Sutton Tools Impact Bits leave all other bits on the ropes.



## Impact

Impact Bits – ‘certified heavy hitters’ – specifically developed for use with the high-torque output of an impact driver. Look out for the “Impact” logo on the blue and yellow packaging.



## Magnetic

All bits are magnetic eliminating frustration and increasing productivity when working at awkward angles or in tight spaces.



## Performance +

Torque tested to exceed DIN standards by up to 330%.



## Torsion

Sutton Tools impact bits include a torsion neck zone, designed to disperse torsional stress and reduce wear of the screwdriver bit.



## Precision Fit

Precision finished and tested to master dies for exacting fitment of screw head.



## High Hardness

Cold forged from premium shock-resisting S2 tool steel with a hardness between 58-62HRC for superior strength.



## Extensive Product Testing

All Sutton Tools screwdriver bits are precision-finished and torque tested, which is integral to their performance and strength.

Sutton Tools voluntarily subscribes to DIN<sup>1</sup> (Deutsches Institut für Normung) testing – which is the global benchmark for quality control in manufacturing – to ensure their bits meet the strength, precision and quality requirements of tradies. All Sutton Tools bits are torque tested and proven to exceed DIN global performance standards by up to 330%.

The reason many bits are unsuitable for use in impact drivers is due to a combination of inferior materials, hardness and finish meaning they cannot withstand the driving force of an impact driver. With so much torque being transferred, if the material isn't tough there are going to be issues.

Sutton Tools has a global research and development team who constantly refine and test its product to be class leading. Sutton Tools strives to ensure every one of its products is the best in that category. We invest in the best materials, the best factories, the best engineers and back it up with quality control and testing.

<sup>1</sup>DIN: German for Deutsches Institut für Normung. All Sutton Tools' bits meet or exceed DIN standards by up to 330%. This is not a requirement; we do it to ensure our products remain the best.

# Screwdriver


## Screwdriver Bits Index

|     |                                                |
|-----|------------------------------------------------|
| 91  | <b>Screwdriver Bits</b> ACR®                   |
| 99  | <b>Screwdriver Bits</b> Dry Wall Extension     |
| 93  | <b>Screwdriver Bits</b> Hex                    |
| 98  | <b>Screwdriver Bits</b> Magnetic Bit Holder    |
| 98  | <b>Screwdriver Bits</b> Magnetic Nutsetter     |
| 99  | <b>Screwdriver Bits</b> Magnetic Screw Guide   |
| 90  | <b>Screwdriver Bits</b> Phillips®              |
| 92  | <b>Screwdriver Bits</b> Pozidriv®              |
| 100 | <b>Screwdriver Bits</b> Sets                   |
| 95  | <b>Screwdriver Bits</b> Slotted                |
| 97  | <b>Screwdriver Bits</b> Socket Adaptor         |
| 94  | <b>Screwdriver Bits</b> Square Recess          |
| 102 | <b>Screwdriver Bits</b> Technical Information  |
| 91  | <b>Screwdriver Bits</b> Torsion Bits           |
| 96  | <b>Screwdriver Bits</b> Torx®                  |
| 96  | <b>Screwdriver Bits</b> Torx® Tamper Resistant |
| 97  | <b>Screwdriver Bits</b> Tri-Wing®              |



# suttontools

Phillips is the most widely used drive system in the world. The design absorbs torque peak reducing slippage and breakage.



## Shank


1/4" hex for use in power tools and quick change adapters

## Chrome Vanadium

Tough grade high alloy steel absorbs shock and offers superior performance

## Insert

1/4" hex for use in bit holders and hand drivers



## Application

DIY  
Trade  
Industrial Application  
Automotive  
Electrician  
Plumber  
Carpenter  
Plasterer  
General Contractor  
Woodworker  
Metalworker  
Machine Shop  
MRO

## Discount Group: Z0702

| Size                                       | Length | Pieces | Item #      | Bulk (Order Qty – 10)<br>Barcode | Price | Item #      | Carded (Order Qty – 1)<br>Barcode | Price |
|--------------------------------------------|--------|--------|-------------|----------------------------------|-------|-------------|-----------------------------------|-------|
| <b>1/4" Insert</b>                         |        |        | <b>S105</b> |                                  |       | <b>S104</b> |                                   |       |
| PH1*                                       | 25     |        | S105 0125   | 9311963031798                    |       | S104 0125   | 9311963004198                     |       |
| PH2*                                       | 25     |        | S105 0225   | 9311963031804                    |       | S104 0225   | 9311963005010                     |       |
| PH3*                                       | 25     |        | S105 0325   | 9311963031811                    |       | S104 0325   | 9311963007830                     |       |
| <b>Reduced 1/4" Insert</b>                 |        |        |             |                                  |       |             |                                   |       |
| PH 2R*                                     | 25     |        | S105 0225R  | 9311963031866                    |       |             |                                   |       |
| <b>1/4" Power – With Full Rounded Body</b> |        |        |             |                                  |       |             |                                   |       |
| PH1                                        | 50     |        | S105 0150   | 9311963035284                    |       | S104 0150   | 9311963072746                     |       |
| PH1                                        | 100    |        | S105 01100  | 9311963038759                    |       |             |                                   |       |
| PH1                                        | 150    |        | S105 01150  | 9311963050218                    |       |             |                                   |       |
| PH2                                        | 50     |        | S105 0250   | 9311963035291                    |       | S104 0250   | 9311963072753                     |       |
| PH2                                        | 70     |        | S105 0270   | 9311963035321                    |       | S104 2265   | 9311963570464                     |       |
| PH2                                        | 90     |        | S105 0290   | 9311963035345                    |       | S104 0290   | 9311963106717                     |       |
| PH2                                        | 100    |        | S105 02100  | 9311963039374                    |       | S104 22100  | 9311963570471                     |       |
| PH2                                        | 150    |        | S105 02150  | 9311963050027                    |       | S104 02150  | 9311963179391                     |       |
| PH3                                        | 50     |        | S105 0350   | 9311963035307                    |       | S104 0350   | 9311963072760                     |       |
| PH3                                        | 90     |        | S105 0390   | 9311963035352                    |       |             |                                   |       |
| <b>1/4" Power – With Full Hex Body</b>     |        |        |             |                                  |       |             |                                   |       |
| PH2                                        | 65     |        |             |                                  |       | S104 0265   | 9311963570440                     |       |
| <b>Double Ended</b>                        |        |        | <b>S125</b> |                                  |       | <b>S122</b> |                                   |       |
| PH2                                        | PH2    | 45     | S125 0245   | 9311963049892                    |       | S122 0245   | 9311963106724                     |       |
| PH2                                        | PH2    | 65     | S125 0260   | 9311963049885                    |       | S122 0265   | 9311963179377                     |       |
| <b>Double Ended – With Full Hex Body</b>   |        |        | <b>S123</b> |                                  |       | <b>S104</b> |                                   |       |
| PH2                                        | PH2    | 100    |             |                                  |       | S104 12100  | 9311963570457                     |       |
| PH2                                        | PH2    | 110    | S123 02110  | 9311963050768                    |       |             |                                   |       |
| PH2                                        | PH2    | 150    | S123 02150  | 9311963050911                    |       |             |                                   |       |
| <b>Double Ended</b>                        |        |        |             |                                  |       | <b>S105</b> |                                   |       |
| PH2                                        | 50     | 10     |             |                                  |       | S105 1250   | 9311963570334                     |       |
| PH2                                        | 75     | 6      |             |                                  |       | S105 1275   | 9311963570341                     |       |
| PH2                                        | 100    | 6      |             |                                  |       | S105 12100  | 9311963570358                     |       |



Double Ended



Reduced Head  
Ideal for use in  
restricted areas



Double Ended  
Full Hex Body



# suttontools

## SUPABIT

EXTREME IMPACT

### Torsion Bits

Specifically suited to withstand high torque applications. The elastic property of these bits deliver professional performance that stands up to rigorous use.



#### Shank

1/4" hex for use in impact drivers and quick change adapters

#### ACR Tip

Anti cam-out rib system reduces stripping and damage to the screw

**Torsion Neck**  
Designed to disperse torsional stress and reduce wear of the screwdriver bit

#### Insert

1/4" hex for use in bit holders and hand drivers



#### Application

DIY  
Trade  
Industrial Application  
Automotive  
Electrician  
Plumber  
Carpenter  
Plasterer  
General Contractor  
Woodworker  
Metalworker  
Machine Shop  
MRO

Discount Group: Z0702

| Size                                             | Length | Pieces | Item #    | Bulk (Order Qty - 10)<br>Barcode | Price | Item #     | Carded (Order Qty - 1)<br>Barcode | Price |
|--------------------------------------------------|--------|--------|-----------|----------------------------------|-------|------------|-----------------------------------|-------|
| <b>Phillips® 1/4" Insert</b>                     |        |        |           | <b>\$107</b>                     |       |            | <b>\$106</b>                      |       |
| PH1*                                             | 25     |        | S107 0125 | 9311963441337                    |       | S106 0125  | 9311963441306                     |       |
| PH2*                                             | 25     |        | S107 0225 | 9311963441344                    |       | S106 0225  | 9311963441313                     |       |
| PH3*                                             | 25     |        | S107 0325 | 9311963441351                    |       | S106 0325  | 9311963441320                     |       |
| <b>Phillips® 1/4" Power - With Full Hex Body</b> |        |        |           |                                  |       |            |                                   |       |
| PH1                                              | 50     |        | S107 0150 | 9311963441399                    |       | S106 0150  | 9311963441368                     |       |
| PH2                                              | 50     |        | S107 0250 | 9311963441405                    |       | S106 0250  | 9311963441375                     |       |
| PH3                                              | 50     |        | S107 0350 | 9311963441412                    |       | S106 0350  | 9311963441382                     |       |
| <b>Double Ended - With Torsion Body*</b>         |        |        |           |                                  |       |            | <b>\$108</b>                      |       |
| PH2                                              | 50     | 1      |           |                                  |       | S108 2050  | 9311963599922                     |       |
| PH2                                              | 75     | 1      |           |                                  |       | S108 2070  | 9311963599939                     |       |
| PH2                                              | 100    | 1      |           |                                  |       | S108 2100  | 9311963599946                     |       |
| PH2                                              | 50     | 6      |           |                                  |       | S108 20506 | 9311963600000                     |       |
| PH2                                              | 75     | 6      |           |                                  |       | S108 20706 | 9311963600017                     |       |
| PH2                                              | 100    | 6      |           |                                  |       | S108 21006 | 9311963600024                     |       |

\*Suits Bosch, Dewalt, Hitachi & Makita impact drivers.



# suttontools

### ACR®

Designed to offer extra grip for removal of stubborn or damaged screw recesses.



#### Shank

1/4" hex for use in power tools and quick change adapters

#### Full Hex Body


Provides extra strength and durability

#### ACR® Tip

Provides a positive grip on screw recess

#### Insert

1/4" hex for use in bit holders and hand drivers



Discount Group: Z0702

| Size                                             | Length | Item #    | Bulk (Order Qty - 10)<br>Barcode | Price |
|--------------------------------------------------|--------|-----------|----------------------------------|-------|
| <b>Phillips® 1/4" Insert</b>                     |        |           | <b>\$109</b>                     |       |
| PH2                                              | 25     | S109 0225 | 9311963050256                    |       |
| <b>Phillips® 1/4" Power - With Full Hex Body</b> |        |           |                                  |       |
| PH2                                              | 50     | S109 0250 | 9311963050010                    |       |

\*Carded pack contains 2 bits.



# suttontools

The self-centering Pozidriv system provides excellent driving control with less operator fatigue.



## Shank


1/4" hex for use in power tools and quick change adapters

## Chrome Vanadium

Tough grade high alloy steel absorbs shock and offers superior performance

## Insert

1/4" hex for use in bit holders and hand drivers



## Recess Design

Providing better mating with the driver, greater driving, surface and minimal metal "fall away"

## Application

DIY  
Trade  
Automotive  
Electrician  
Plumber  
Carpenter  
General Contractor  
Woodworker  
Metalworker  
Machine Shop  
MRO

## Discount Group: Z0702

| Size                                       | Length | Item #     | Bulk (Order Qty - 10)<br>Barcode | Price         | Item #    | Carded (Order Qty - 1)<br>Barcode | Price |
|--------------------------------------------|--------|------------|----------------------------------|---------------|-----------|-----------------------------------|-------|
| <b>1/4" Insert</b>                         |        |            | <b>S103</b>                      |               |           | <b>S102</b>                       |       |
| PZ1*                                       | 25     | S103 0125  | 9311963031873                    |               | S102 0125 | 9311963009032                     |       |
| PZ2*                                       | 25     | S103 0225  | 9311963032030                    |               | S102 0225 | 9311963009544                     |       |
| PZ3*                                       | 25     | S103 0325  | 9311963032078                    |               |           |                                   |       |
| <b>1/4" Power - With Full Rounded Body</b> |        |            |                                  |               |           |                                   |       |
| PZ1                                        | 50     | S103 0150  | 9311963035628                    |               | S102 0150 | 9311963072777                     |       |
| PZ1                                        | 75     | S103 0175  | 9311963039749                    |               |           |                                   |       |
| PZ1                                        | 150    | S103 01150 | 9311963037066                    |               |           |                                   |       |
| PZ2                                        | 50     | S103 0250  | 9311963035635                    |               | S102 0250 | 9311963072784                     |       |
| PZ2                                        | 75     | S103 0275  | 9311963039756                    |               |           |                                   |       |
| PZ2                                        | 150    | S103 02150 | 9311963037073                    |               |           |                                   |       |
| PZ3                                        | 50     | S103 0350  | 9311963036205                    |               | S102 0350 | 9311963072791                     |       |
| PZ3                                        | 75     | S103 0375  | 9311963039763                    |               |           |                                   |       |
| PZ3                                        | 150    | S103 03150 | 9311963037080                    |               |           |                                   |       |
| <b>Double Ended</b>                        |        |            |                                  |               |           |                                   |       |
| PZ2*                                       | PZ2    | 45         | S103 0245                        | 9311963570495 | S102 0245 | 9311963570488                     |       |
| PZ2*                                       | PZ2    | 65         | S103 0265                        | 9311963570518 | S102 0265 | 9311963570501                     |       |
|                                            |        |            | <b>S121</b>                      |               |           | <b>S120</b>                       |       |
| PZ2                                        | PZ2    | 60         | S121 0260                        | 9311963050478 | S120 0260 | 9311963179384                     |       |


**suttontools**
**SUPABIT**  
EXTREME IMPACT

This system is very popular in machine tools and driving deck screws. The vertically sloping side walls of a HEX recess screw head prevent the cam-out recess effect.

**Torsion Neck**

Designed to disperse torsional stress and reduce wear of the screwdriver bit


**Full Hex Body**

Provides extra strength and durability

**Shank**

1/4" hex for use in impact drivers and quick change adapters

**Insert**

1/4" hex for use in bit holders and hand drivers


**Recess Design**

Provides better mating with the driver, greater driving surface and minimal metal "fall away"

**Application (Hex)**

DIY  
Trade  
Automotive  
Furniture  
Carpenter  
General Contractor  
Metalworker  
Machine Shop  
MRO

**Discount Group: Z0702**

| Size                                   | Length | Item #     | Bulk (Order Qty - 10)<br>Barcode | Price | Item #     | Carded (Order Qty - 1)<br>Barcode | Price |
|----------------------------------------|--------|------------|----------------------------------|-------|------------|-----------------------------------|-------|
| <b>Metric 1/4" Insert</b>              |        |            | <b>S115</b>                      |       |            | <b>S114</b>                       |       |
| 4mm                                    | 25     | S115 0425  | 9311963041834                    |       |            |                                   |       |
| 5mm*                                   | 25     | S115 0525  | 9311963041841                    |       | S114 0525  | 9311963352282                     |       |
| 6mm                                    | 25     | S115 0625  | 9311963041858                    |       |            |                                   |       |
| 8mm                                    | 25     | S115 0825  | 9311963041865                    |       |            |                                   |       |
| <b>1/4" Power - With Full Hex Body</b> |        |            |                                  |       |            |                                   |       |
| 5mm                                    | 50     | S115 0550  | 9311963049441                    |       | S114 0550  | 9311963439129                     |       |
| 5mm                                    | 75     | S115 0575  | 9311963439105                    |       | S114 0575  | 9311963439136                     |       |
| 5mm                                    | 100    | S115 05100 | 9311963439112                    |       | S114 05100 | 9311963439143                     |       |

\*Carded pack contains 2 bits.

www.suttontools.com


Prices exclude GST



## suttontools



This system is very popular especially for wooden boat building, mobile homes, recreation vehicles and other specialty uses. Also known as a Robertson® bit.



### Shank

1/4" hex for use in impact drivers and quick change adapters

### Full Hex Body

Provides extra strength and durability

### Square Recess Tip

Specialised tip design for a number of applications

### Torsion Neck

Designed to disperse torsional stress and reduce wear of the screwdriver bit

### Insert

1/4" hex for use in bit holders and hand drivers

### Application

Appliances  
Cabinet Making  
Decking  
Trade  
Carpenter  
Plasterer  
Woodworker  
HVAC


Discount Group: Z0702

| Size                                   | Length | Pieces | Item #     | Bulk (Order Qty – 10)<br>Barcode | Price | Item #     | Carded (Order Qty – 1)<br>Barcode | Price |
|----------------------------------------|--------|--------|------------|----------------------------------|-------|------------|-----------------------------------|-------|
| <b>1/4" Insert</b>                     |        |        |            | <b>\$119</b>                     |       |            | <b>\$118</b>                      |       |
| R1*                                    | 25     |        | S119 0125  | 9311963039770                    |       | S118 0125  | 9311963024691                     |       |
| R2*                                    | 25     |        | S119 0225  | 9311963039787                    |       | S118 0225  | 9311963024707                     |       |
| R3*                                    | 25     |        | S119 0325  | 9311963039794                    |       | S118 0325  | 9311963024721                     |       |
| <b>1/4" Power – With Full Hex Body</b> |        |        |            |                                  |       |            |                                   |       |
| R1                                     | 50     |        | S119 0150  | 9311963039800                    |       | S118 0150  | 9311963024738                     |       |
| R1                                     | 90     |        | S119 0190  | 9311963049465                    |       |            |                                   |       |
| R1                                     | 150    |        | S119 01150 | 9311963049489                    |       |            |                                   |       |
| R2                                     | 50     |        | S119 0250  | 9311963039817                    |       | S118 0250  | 9311963024745                     |       |
| R2                                     | 75     |        | S119 0275  | 9311963039862                    |       |            |                                   |       |
| R2                                     | 90     |        | S119 0290  | 9311963049472                    |       | S118 0290  | 9311963024769                     |       |
| R2                                     | 150    |        | S119 02150 | 9311963049649                    |       | S118 02150 | 9311963024776                     |       |
| R3                                     | 50     |        | S119 0350  | 9311963039824                    |       | S118 0350  | 9311963024752                     |       |
| <b>Double Ended</b>                    |        |        |            |                                  |       |            | <b>\$119</b>                      |       |
| R2                                     | 75     | 6      |            |                                  |       | S119 1275  | 9311963570365                     |       |
| R3                                     | 75     | 6      |            |                                  |       | S119 1375  | 9311963570372                     |       |



## suttontools

The most popular driving system for general use. For positive drive, the screwdriver tip must be turned 90 degree to align itself with the recess.



### Shank


1/4" hex for use in power tools and quick change adapters

### Chrome Vanadium

Tough grade high alloy steel absorbs shock and offers superior performance

### Insert

1/4" hex for use in bit holders and hand drivers



### Application

DIY  
Trade  
Industrial Application  
Automotive  
Electrician  
Plumber  
Carpenter  
Plasterer  
General Contractor  
Woodworker  
Metalworker  
Machine Shop  
MRO

Discount Group: Z0702

| Size                                       | Length | Item #     | Bulk (Order Qty - 10)<br>Barcode | Price         | Item #     | Carded (Order Qty - 1)<br>Barcode | Price |
|--------------------------------------------|--------|------------|----------------------------------|---------------|------------|-----------------------------------|-------|
| <b>1/4" Insert</b>                         |        |            | <b>S101</b>                      |               |            | <b>S100</b>                       |       |
| 5-6*                                       | 25     | S101 5625  | 9311963049373                    |               | S100 5625  | 9311963005164                     |       |
| 6-8*                                       | 25     | S101 6825  | 9311963049380                    |               | S100 6825  | 9311963005508                     |       |
| <b>1/4" Power - With Full Rounded Body</b> |        |            |                                  |               |            |                                   |       |
| 2-3                                        | 50     |            |                                  |               | S100 2350  | 9311963072715                     |       |
| 5-6                                        | 50     | S101 5650  | 9311963037134                    |               | S100 5650  | 9311963072722                     |       |
| 6-8                                        | 50     | S101 6850  | 9311963037141                    |               |            |                                   |       |
| 8-10                                       | 50     | S101 81050 | 9311963037158                    |               | S100 81050 | 9311963072739                     |       |
| <b>1/4" Power - With Full Hex Body</b>     |        |            |                                  |               |            |                                   |       |
| 4                                          | 50     |            |                                  |               | S100 4550  | 9311963570389                     |       |
| 6                                          | 50     |            |                                  |               | S100 6850  | 9311963570396                     |       |
| <b>Double Ended Slotted - Phillips</b>     |        |            | <b>S127</b>                      |               |            |                                   |       |
| 6-8                                        | PH2    | 40         | S127 68240                       | 9311963049229 |            |                                   |       |

### Double Ended



\*Carded pack contains 2 bits.

www.suttontools.com

Prices exclude GST



## suttontools

The system provides NO CAM-OUTS because of the straight, vertical side walls in the design of the recessed screw head. Also provides a greater depth of engagement between the driver and the fastener due to the 6 lobes.



### Insert

1/4" hex for use in bit holders and hand drivers



### Torx® Tip

Popular in automotive and appliance assembly

### Application

DIY  
Trade  
Appliances  
Automotive

Discount Group: Z0702

| Size                      | Length | Order Quality | Item #    | Bulk (Order Qty – 10)<br>Barcode | Price | Item #    | Carded (Order Qty – 1)<br>Barcode | Price |
|---------------------------|--------|---------------|-----------|----------------------------------|-------|-----------|-----------------------------------|-------|
| <b>1/4" Insert – Bulk</b> |        |               |           | <b>S111</b>                      |       |           | <b>S110</b>                       |       |
| T10*                      | 25     | 10            | S111 1025 | 9311963041902                    |       | S110 1025 | 9311963570402                     |       |
| T15*                      | 25     | 10            | S111 1525 | 9311963041919                    |       | S110 1530 | 9311963570419                     |       |
| T20                       | 25     | 10            | S111 2025 | 9311963041926                    |       |           |                                   |       |
| T25*                      | 25     | 10            | S111 2525 | 9311963041933                    |       | S110 2530 | 9311963570426                     |       |
| T27*                      | 25     | 10            | S111 2725 | 9311963041940                    |       | S110 2730 | 9311963570433                     |       |
| T30                       | 25     | 10            | S111 3025 | 9311963041957                    |       |           |                                   |       |




## suttontools

Tamper resistant bits for the installation and removal of security fasteners.



### Insert

1/4" hex for use in bit holders and hand drivers



### Torx® Tamper Resistant Tip

Popular in security protection applications

### Application

DIY  
Trade  
Appliances  
Automotive  
Security

Discount Group: Z0702

| Size                      | Length | Order Qty | Item #    | Barcode       | Price |
|---------------------------|--------|-----------|-----------|---------------|-------|
| <b>1/4" Insert – Bulk</b> |        |           |           | <b>S113</b>   |       |
| T10H                      | 25     | 10        | S113 1025 | 9311963044484 |       |
| T15H                      | 25     | 10        | S113 1525 | 9311963045085 |       |
| T20H                      | 25     | 10        | S113 2025 | 9311963045108 |       |
| T25H                      | 25     | 10        | S113 2525 | 9311963045283 |       |
| T27H                      | 25     | 10        | S113 2725 | 9311963045405 |       |
| T30H                      | 25     | 10        | S113 3025 | 9311963046648 |       |

\*Carded pack contains 2 bits.

Prices exclude GST

www.suttontools.com




## suttontools

Tamper resistant bits for the installation and removal of security fasteners.



### Insert

1/4" hex for use in bit holders and hand drivers



### Tamper Resistant Bits

For the installation and removal of security fasteners

### Application (Tri Wing)

Application  
Aviation  
Electrician/  
Electronics  
Security

Discount Group: Z0702

| Size                      | Length | Order Qty | Item #    | Barcode       | Price |
|---------------------------|--------|-----------|-----------|---------------|-------|
| <b>1/4" Insert – Bulk</b> |        |           |           | <b>S117</b>   |       |
| 3mm                       | 25     | 10        | S117 0325 | 9311963041667 |       |
| 4mm                       | 25     | 10        | S117 0425 | 9311963041698 |       |
| 5mm                       | 25     | 10        | S117 0525 | 9311963041742 |       |

## Screwdriver Bits Socket Adaptor

## suttontools

For use with a power socket. Ideal for when high torque loads are required.



### Pin Lock

For secure attachment of socket

### Shank

1/4" hex for use in power tools and quick change adapters



### Application

DIY  
Trade  
Automotive  
Electrician  
Plumber  
Carpenter  
General Contractor  
Woodworker  
Metalworker  
Machine Shop  
MRO

Discount Group: Z0702

| Size                  | Length | Item #    | Bulk (Order Qty – 10)<br>Barcode | Price       | Item #    | Carded (Order Qty – 1)<br>Barcode | Price |
|-----------------------|--------|-----------|----------------------------------|-------------|-----------|-----------------------------------|-------|
| <b>1/4" Power Bit</b> |        |           |                                  | <b>S137</b> |           | <b>S136</b>                       |       |
| 1/4                   | 50     | S137 0650 | 9311963039916                    |             | S136 0650 | 9311963439013                     |       |

## Screwdriver Bits Magnetic Nutsetter

**suttontools**

**SUPABIT**  
EXTREME IMPACT



**3X**  
TORQUE

Nutsetters are used predominantly in the roofing industry to drive hex head screws.

### Opening

Available for both metric and imperial sizes



### Shank

1/4" hex for use in impact drives and quick change adapters

### High Performance Materials

Delivers professional performance that stands up to rigorous use

### Application

DIY  
Trade  
Automotive  
Electrician  
Plumber  
Carpenter  
General Contractor  
Woodworker  
Metalworker  
Machine Shop  
MRO

### Discount Group: Z0702

| Size                       | Length | Item #    | Bulk (Order Qty - 10)<br>Barcode | Price | Item #     | Carded (Order Qty - 1)<br>Barcode | Price |
|----------------------------|--------|-----------|----------------------------------|-------|------------|-----------------------------------|-------|
| <b>1/4" Power Imperial</b> |        |           | <b>S133</b>                      |       |            | <b>S132</b>                       |       |
| 1/4                        | 45     | S133 0645 | 9311963039893                    |       | S132 0645  | 9311963074160                     |       |
| 1/4                        | 65     | S133 0665 | 9311963042015                    |       | S132 0665  | 9311963074191                     |       |
| 1/4                        | 150    |           |                                  |       | S132 06150 | 9311963518565                     |       |
| 5/16                       | 45     | S133 0845 | 9311963039909                    |       | S132 0845  | 9311963074177                     |       |
| 5/16                       | 65     | S133 0865 | 9311963042022                    |       | S132 0865  | 9311963074207                     |       |
| 5/16                       | 150    |           |                                  |       | S132 08150 | 9311963518572                     |       |
| 3/8                        | 50     | S133 0950 | 9311963041797                    |       | S132 0950  | 9311963074184                     |       |
| 3/8                        | 65     | S133 0965 | 9311963043401                    |       | S132 0965  | 9311963074214                     |       |
| 3/8                        | 150    |           |                                  |       | S132 09150 | 9311963518589                     |       |
| <b>1/4" Power Metric</b>   |        |           | <b>S135</b>                      |       |            |                                   |       |
| 8                          | 45     | S135 0845 | 9311963051055                    |       |            |                                   |       |
| 10                         | 50     | S135 1050 | 9311963051062                    |       |            |                                   |       |

## Screwdriver Bits Magnetic Bit Holder

**suttontools**

Help you change bits faster for greater productivity.




### C-Ring

Internal clip fits into the retaining notch of insert bits to hold the bit securely in place

### Opening

Designed for use with insert bits



### Shank

1/4" hex for use in power tools and quick change adapters

### Rare Earth Magnet

4 times stronger than standard magnets



### Application

DIY  
Trade  
Industrial Application  
Automotive  
Electrician  
Plumber  
Carpenter  
Plasterer  
General Contractor  
Woodworker  
Metalworker  
Machine Shop  
MRO

### Discount Group: Z0702

| Size                                           | Length | Item #    | Bulk (Order Qty - 10)<br>Barcode | Price | Item #    | Carded (Order Qty - 1)<br>Barcode | Price |
|------------------------------------------------|--------|-----------|----------------------------------|-------|-----------|-----------------------------------|-------|
| <b>1/4" Power Drive with C-Ring - Magnetic</b> |        |           | <b>S129</b>                      |       |           | <b>S128</b>                       |       |
| 1/4                                            | 55     | S129 0650 | 9311963049663                    |       |           |                                   |       |
| 1/4                                            | 75     | S129 0675 | 9311963037233                    |       | S128 0675 | 9311963005171                     |       |

# Screwdriver Bits Dry Wall Extension



suttontools

Suitable for dry-wall installation. The extra strong magnet firmly holds screw in place.



**Rare Earth Magnet**  
Extra-strong magnet  
firmly holds screw

**Shank**  
Suits all 1/4"  
shank insert bits

**Fast Change**  
One touch ejection  
of screwdriver bit

Application

DIY  
Trade  
Automotive  
Electrician  
Plumber  
Carpenter  
General Contractor  
Woodworker  
Metalworker  
Machine Shop  
MRO

Discount Group: Z0702


| Size                             | Length | Order Qty | Item #     | Barcode       | Price |
|----------------------------------|--------|-----------|------------|---------------|-------|
| Dry Wall Magnetic Extension Bars |        |           | S131       |               |       |
| 1/4                              | 150    | 1         | S131 06150 | 9311963600291 |       |
| 1/4                              | 300    | 1         | S131 06300 | 9311963600307 |       |

# Screwdriver Bits Magnetic Screw Guide



suttontools

Designed to hold extra long fasteners in place.



**Rare Earth Magnet**  
4 times stronger than  
standard magnets  
firmly holds screw

**Shank**  
1/4" hex for use in power tools  
and quick change adapters

**Retracting Sleeve**  
The guide sleeve retracts as the  
fastener is driven into the work piece

Discount Group: Z0702

| Size                                    | Length |     | Item #      | Carded (Order Qty - 1)<br>Barcode | Price |
|-----------------------------------------|--------|-----|-------------|-----------------------------------|-------|
| 1/4" Power Drive with Retracting Sleeve |        |     | S130        |                                   |       |
| 1/4                                     | 80     | 120 | S130 80120  | 9311963439082                     |       |
| 1/4                                     | 120    | 200 | S130 120200 | 9311963439099                     |       |

## Screwdriver Bits Sets

**suttontools**

**SUPABIT**  
EXTREME IMPACT



S1420012



S1411412



S1413810



S1420404



S1420406

**suttontools**



**3X**  
TORQUE



S1380102



S1380245



S1380150



S1380250



S1380017



S1380265



S1380007



S1380008

**FROST**



92290



92210



92211

| Size                                                | Length | Pieces | Case    | Order Qty | Item #      | Barcode       | Price |
|-----------------------------------------------------|--------|--------|---------|-----------|-------------|---------------|-------|
|                                                     |        |        |         |           | <b>S142</b> |               |       |
| <b>Impact Screwdriver Set</b>                       |        | 12     | Plastic | 1         | S142 0012   | 9311963600314 |       |
| Pivoting bit holder (15°)                           |        |        |         |           |             |               |       |
| 50mm bits: PH1, PH2, PH3, R2, Hex 5mm               |        |        |         |           |             |               |       |
| Double ended: PH2x50mm, PH2x75mm, PH2x100mm         |        |        |         |           |             |               |       |
| Nutsetters: 1/4, 5/16 & 3/8                         |        |        |         |           |             |               |       |
| <b>Impact Nutsetter Set</b>                         |        | 4      | -       | 1         | S142 0404   | 9311963600321 |       |
| Nutsetters: 1/4, 5/16 & 3/8                         |        |        |         |           |             |               |       |
| 57mm Magnetic power extension                       |        |        |         |           |             |               |       |
| <b>Impact Nutsetter Set</b>                         |        | 6      | -       | 1         | S142 0406   | 9311963600338 |       |
| Nutsetters: 1/4, 5/16 & 3/8                         |        |        |         |           |             |               |       |
| Magnetic power extension: 57mm, 100mm, 150mm        |        |        |         |           |             |               |       |
|                                                     |        |        |         |           | <b>S141</b> |               |       |
| <b>1/4" Impact Pivoting Socket Set</b>              |        | 12     | Metal   | 1         | S141 1412   | 9311963600345 |       |
| 1/4" wobble square drive                            |        |        |         |           |             |               |       |
| Sockets: 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 & 15mm |        |        |         |           |             |               |       |
| <b>3/8" Impact Pivoting Socket Set</b>              |        | 10     | Metal   | 1         | S141 3810   | 9311963600352 |       |
| 3/8" wobble square drive                            |        |        |         |           |             |               |       |
| Sockets: 12, 13, 14, 15, 16, 17, 18, 19 & 21mm      |        |        |         |           |             |               |       |

## suttontools

Popular configuration to suit a variety of applications.  
Steel Grade S2 59-62 HRC





| Size                                           | Length | Pieces | Case    | Order Qty | Item #      | Barcode       | Price         |
|------------------------------------------------|--------|--------|---------|-----------|-------------|---------------|---------------|
|                                                |        |        |         |           | <b>S138</b> |               |               |
| <b>Screwdriver Phillips Insert</b>             |        |        |         |           |             |               |               |
| PH1 & PH2                                      | 25     | 20     | Plastic | 1         | S138 0102   | 9311963439068 |               |
| <b>Screwdriver Phillips Power Round Body</b>   |        |        |         |           |             |               |               |
| PH1                                            | 50     | 10     | Plastic | 1         | S138 0150   | 9311963439020 |               |
| PH2                                            | 50     | 10     | Plastic | 1         | S138 0250   | 9311963439037 |               |
| <b>Screwdriver Phillips Power Double Ended</b> |        |        |         |           |             |               |               |
| PH2                                            | 45     | 10     | Plastic | 1         | S138 0245   | 9311963439044 |               |
| PH2                                            | 65     | 10     | Plastic | 1         | S138 0265   | 9311963439051 |               |
| <b>Screwdriver Bit Insert Assorted Set</b>     |        | 17     | Plastic | 1         | S138 0017   | 9311963439075 |               |
| Slotted: 4mm, 5mm, 6mm, 7mm                    |        |        |         |           |             |               |               |
| Phillips: PH1, PH2, PH3                        |        |        |         |           |             |               |               |
| Pozidriv: PZ1, PZ2, PZ3                        |        |        |         |           |             |               |               |
| Torx: T10, T15, T20, T25, T30, T40             |        |        |         |           |             |               |               |
| Magnetic Bit Holder 1/4"                       |        | 60     |         |           |             |               |               |
| <b>Dial Selector Set</b>                       |        | 25     | 7       | Plastic   | 12          | S138 0007     | 9311963570525 |
| Phillips: PH1, PH2                             |        |        |         |           |             |               |               |
| Slotted: 4.5mm, 7.0mm                          |        |        |         |           |             |               |               |
| Pozidriv: PZ1, PZ2                             |        |        |         |           |             |               |               |
| Magnetic Bit Holder 1/4"                       |        |        |         |           |             |               |               |
| <b>Belt Clip Set</b>                           |        | 25     | 8       | Plastic   | 10          | S138 0008     | 9311963570532 |
| Phillips: PH0, PH1, PH2, PH3                   |        |        |         |           |             |               |               |
| Slotted: 4mm, 5mm, 6mm                         |        |        |         |           |             |               |               |
| Offset Screwdriver wrench                      |        |        |         |           |             |               |               |



S1380017



| Size                                                | Length | Pieces | Case    | Order Qty | Item # | Barcode       | Price |
|-----------------------------------------------------|--------|--------|---------|-----------|--------|---------------|-------|
| <b>Screwdriver Bit Set - DIY</b>                    |        | 7      | Plastic | 1         | 92290  | 9312621922908 |       |
| Screwdriver: #2 & #3 Phillips                       |        |        |         |           |        |               |       |
| Poz: #2 & #3                                        |        |        |         |           |        |               |       |
| Slotted: 5 & 7mm                                    |        |        |         |           |        |               |       |
| Magnetic holder: x1                                 |        |        |         |           |        |               |       |
| <b>Bits Screwdriver PH#2 (Discount group Z0702)</b> |        |        |         |           |        |               |       |
| PH2                                                 | 25     | 10     |         |           | 92210  | 9312621922106 |       |
| PH2                                                 | 50     | 10     |         |           | 92211  | 9312621922113 |       |

|                                                                                                |                                                                                                                      |                                                                                                                                        |                                                                                             |                                                                                                                     |                                                                                             |                                                                                                                                     |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
|               |                                     |                                                       |            |                                   |          |                                                  |
| <b>Flat</b>                                                                                    | <b>Oval</b>                                                                                                          | <b>Round</b>                                                                                                                           | <b>Butt</b>                                                                                 | <b>Truss</b>                                                                                                        | <b>Pan</b>                                                                                  | <b>Socket</b>                                                                                                                       |
| Installs flush with metal surfaces or countersinks with softer materials for clean appearance. | Used where countersink installation is desired. Rounded head offers deep recess & is visible just above the surface. | Widely used for general purposes. Features a high crown with a deep recess & smaller diameter head than our Truss or Pan Head designs. | Used for general purposes with a lower crown & shallower recess than our Round Head design. | Low profile offers added security against vice-grips removal. Large diameter head for increased fastening strength. | Features a low profile, large diameter head with a high-edged crown for increased strength. | Features a cylindrical head profile allowing for a deeper recess. This style of head is common amongst TORX® and Hex drive systems. |

## Types of Screw Threads



These types have a locating point with either an A or B thread forming screw thread.



Ideal for applications where no pilot holes are required due to a type AB thread with a self drilling point.



Available in both imperial or metric threads, these screws offer a straight sheared point.

## Frequently Asked Questions

### Are your screwdriver bits milled or forged?

Our bits are forged for many reasons such as life & performance. This manufacturing process enables our screwdriver bits to have superior performance characteristics against milled equivalents.

### What is the difference between an insert bit and a power bit?

The insert bits are commonly used with a magnetic bit holder in a power tool. This combination is economical, provides flexibility and allows a fastener to be magnetically held by the bit. The power bits are placed directly into the drill chuck.

### What is ISO-Temp™?

ISO-TEMP™ has been developed to combine both the low wear advantages of extra hard bits and the high elasticity of medium hard bits. This means that ISO-TEMP™ bits ideally suit screw driving in hard materials where high torque peaks need to be counteracted.

### Where do I use reduced diameter bits?

In applications for driving screws below the surface of a drywall.

### Painted, coated and corroded fasteners provide excessive cam-out, what should I do?

ACR® bits, with their extra grip, are a good solution. ACR® bits are available in both insert and power drives.

### How do I identify between Phillips® and Pozidriv® bits?

The shallow 'cross' indentations in the screw head identify a Pozidriv® fastener. The Pozidriv® bit and recess design provides more surface contact between the bit and the screw head than a standard Phillips®. Therefore, the Pozidriv® allows you to apply more torque, reduce the possibility of cam-out. Another way to distinguish the difference is that a Pozidriv® bit can drive a Phillips® screw (but not recommended), whilst a Phillips® bit will struggle to drive a Pozidriv® screw.

### Registered Trademarks:

ACR, PHILLIPS, POZIDRIV, TORQ-SET and TRI-WING are registered trademarks of the Phillips Screw Company. TORX and TORX-ALIGN are registered trademarks of Camcar Division of Textron.

## Usage By Industry

|                  | Automotive | Aviation | Appliance | Furniture | Construction / Decking | Public Transport | Electronics | Rec/Hobby | Marine | Security | Drywall / Subfloor | Machine Tools / Metal |
|------------------|------------|----------|-----------|-----------|------------------------|------------------|-------------|-----------|--------|----------|--------------------|-----------------------|
| Phillips®        | •          | •        | •         | •         | •                      | •                | •           | •         | •      |          | •                  |                       |
| Slotted          | •          | •        | •         | •         | •                      | •                | •           | •         | •      |          |                    |                       |
| Torx®            | •          |          | •         |           |                        |                  | •           |           |        |          |                    |                       |
| Tamper Resistant | •          |          | •         |           |                        | •                | •           |           |        | •        |                    |                       |
| Torq-Set®        |            | •        |           |           |                        |                  |             |           |        | •        |                    |                       |
| Tri-Wing®        |            | •        |           |           |                        |                  |             |           |        | •        |                    |                       |
| Pozidriv®        | •          | •        | •         | •         | •                      | •                | •           | •         | •      |          | •                  |                       |
| Square           |            |          | •         | •         |                        |                  |             |           |        | •        |                    |                       |
| Frearson         |            |          |           |           |                        |                  |             | •         |        |          |                    |                       |
| Torxalign®       | •          |          | •         |           |                        | •                |             |           |        |          |                    |                       |
| Hex              | •          |          |           |           |                        |                  |             |           |        |          |                    | •                     |